FÜRN	4 PTO-1.	390 (Modified) U.S. DEPARTMI	ENT OF COMMERCE PATENT AND TRADEMARK OFFICE	TRACONIA SOCKET NUMBER					
(REV	T-2000	")	R TO THE UNITED STATES	PU-9843					
			TED OFFICE (DO/EO/US)	U S APPLICATION NO (IF KNOWN, SEE 37 CFR					
			ING UNDER 35 U.S.C. 371	To b prosper 6869023					
INTI	ERNA'	TIONAL APPLICATION NO.	INTERNATIONAL FILING DATE						
		PCT/EP99/10123	20 December 1999	PRIORITY DATE CLAIMED  22 December 1998					
		INVENTION							
Ken	novai	/Purification of Serum Albu	imins						
A DDI	ICAN	IT(C) FOR DO FO TO							
		VT(S) FOR DO/EO/US berg and Christel Strom							
	Ū								
App.	licant	herewith submits to the United S	States Designated/Elected Office (DO/EO/U)	S) the following items and other information:					
1.	$\boxtimes$		f items concerning a filing under 35 U.S.C.						
2.			QUENT submission of items concerning a						
3.	$\boxtimes$			S.C. 371(f)). The submission must include itens (5), (6					
	_	(3) and (24) indicated below.							
4.	$\boxtimes$		e expiration of 19 months from the priority of	date (Article 31).					
5.	$\boxtimes$	A copy of the International Ap	plication as filed (35 U.S.C. 371 (c) (2))						
			quired only if not communicated by the Inte	ernational Bureau).					
			ted by the International Bureau.						
	_		application was filed in the United States R						
6.			An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).						
		a. $\square$ is attached hereto.							
_	_		ubmitted under 35 U.S.C. 154(d)(4).						
7.			he International Application under PCT Arti						
			equired only if not communicated by the Int	ernational Bureau).					
			ated by the International Bureau.						
			however, the time limit for making such ame	endments has NOT expired.					
Q									
9.	$\boxtimes$	An oath or declaration of the in	on of the amendments to the claims under PC eventor(s) $(35 \text{ U.S.C. } 371 \text{ (c)}(4))$ .	T Article 19 (35 U.S.C. 371(c)(3)).					
0.			n of the annexes of the International Prelimi	Town Francisco D. J. Dom					
•		Article 36 (35 U.S.C. 371 (c)(5	)).	nary Examination Report under PCT					
1.		A copy of the International Pre	liminary Examination Report (PCT/IPEA/40	09).					
2.	$\boxtimes$	A copy of the International Sea	rch Report (PCT/ISA/210).						
It	ems 1	3 to 20 below concern documen	nt(s) or information included:						
3.	$\boxtimes$	An Information Disclosure Sta	tement under 37 CFR 1.97 and 1.98						
4.		An assignment document for re	cording. A separate cover sheet in compliar	nce with 37 CFR 3.28 and 3.31 is included.					
5.	$\boxtimes$	A FIRST preliminary amendme	ent.						
6.		A SECOND or SUBSEQUEN	$oldsymbol{\Gamma}$ preliminary amendment.						
7.		A substitute specification.							
8.		A change of power of attorney a							
9. a		A computer-readable form of th	e sequence listing in accordance with PCT I	Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.					
). 1.			international application under 35 U.S.C. 1						
1. 2.	$\square$		nguage translation of the international appli	cation under 35 U.S.C. 154(d)(4).					
2. 3.	$\boxtimes$	Certificate of Mailing by Expres	ss iviaii						
٠.		Other items or information:							
		uupiicate copy of this transmit	tal letter for charging purposes						
		copy of the International Anni	ication as published by the International l	Dunaan					

Rec'd PCT/FT U.S. APPLICATION NO JIF KNOWN, SEE 27 OF INTERNATIONAL APPLICATION NO. ATTORNEY'S DOCKET NUMBER PCT/EP99/10123 PU-9843 24. The following fees are submitted:. CALCULATIONS PTO USE ONLY BASIC NATIONAL FEE ( 37 CFR 1.492 (a) (1) - (5)) : Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1000.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ...... \$860.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO . . . . . . . . . . \$710.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4)..... \$690.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4)..... \$100.00 ENTER APPROPRIATE BASIC FEE AMOUNT = \$860.00 Surcharge of \$130.00 for furnishing the oath or declaration later than months from the earliest claimed priority date (37 CFR 1.492 (e)) \$0.00 NUMBER FILED NUMBER EXTRA **RATE** Total claims 0 -20 =\$18.00 \$0.00 Independent claims 0 - 3 = \$80.00 \$0.00 Multiple Dependent Claims (check if applicable) \$0.00 TOTAL OF ABOVE CALCULATIONS \$860.00 Applicant claims small entity status. (See 37 CFR 1.27). The fees indicated above are reduced by 1/2. \$0.00 **SUBTOTAL** \$860.00 Processing fee of \$130.00 for furnishing the English translation later than  $\square$  20 □ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)). \$0.00 TOTAL NATIONAL FEE \$860.00 Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). \$0.00 TOTAL FEES ENCLOSED \$860.00 Amount to be: refunded \$ charged A check in the amount of to cover the above fees is enclosed.  $\mathbf{X}$ Please charge my Deposit Account No. 500-588 in the amount of \$860.00 to cover the above fees. A duplicate copy of this sheet is enclosed. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment C. to Deposit Account No. \_\_\_\_500-588\_\_\_ A duplicate copy of this sheet is enclosed. Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038. NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status. SEND ALL CORRESPONDENCE TO: Royal N. Ronning, Jr. SIGNATURE Amersham Pharmacia Biotech, Inc. 800 Centennial Avenue Royal N. Ronning, Jr. Piscataway, New Jersey 08855 NAME (732) 457-8423 32,529

REGISTRATION NUMBER June 20, 2001 DATE

09/869023 531 Rec'd PCT. 20 JUN 2001

PU-9843

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of:

T. Regberg, et al.

Group Art Unit:

To be assigned

Serial Number:

To be assigned

Examiner:

To be assigned

Filing Date:

June 20, 2001

Title:

Removal/Purification of Serum Albumins

# FIRST PRELIMINARY AMENDMENT

Honorable Assistant Commissioner of Patents Box New Patent Application Washington, D.C. 20231

Sir:

Please consider the following amendments and remarks in connection with the prosecution of the captioned application, which is a filing under 35 U.S.C. § 371 and claims priority to international application number PCT/EP99/10123 filed December 20, 1999 and Swedish application number 9804465.4 filed December 22, 1998.

#### In the Claims

Please amend page 18, line 1 as follows:

[CLAIMS]

# What is claimed is:

Please amend claim 1 as follows:

- 1. (once amended) [A]<u>In a</u> method for selectively enriching/removing a serum albumin from a mixture of other compounds by contacting said mixture with a ligand (= X), the improvement comprising said ligand
  - a) having affinity for and enabling binding of the serum albumin and

b) being attached via a spacer (= B) to a base matrix (= M') insoluble in the aqueous media used, the matrix with the attached ligand being represented by M-B-X

where M is the matrix, B is the spacer and X the affinity ligand, with the provision that M may contain further groups X linked via a spacer, characterized in that said ligand X has been selected among serum albumin-binding structures complying with the formulae

$$R_2$$
 $R_3$ 
 $R_4$ 

in which

- a) the free valence bind to the spacer B;
- b) R<sub>1-4</sub> are selected from hydrogen, electron-withdrawing groups, such as halogens and lower alkyl groups (C<sub>1-10</sub>) that possibly are substituted with electron withdrawing groups, such as halogens;
- c) Z and Y are selected among oxygen, sulphur or nitrogen, with the provision that the nitrogen may carry a positive charge.

Please amend claim 3 as follows:

3. (once amended) The method according to [anyone of claims 1-2]<u>claim 1</u>, characterized in that at least one of R1-4 exhibit an electron withdrawing group, preferably selected among halogens such as fluorine.

Please amend claim 4 as follows:

4. (once amended) The method according to [anyone of claims 1-3]claim 1, characterized in that the spacer [have]has a sulphur atom next to X.

Please amend claim 5 as follows:

5. (once amended) The method according to [any one of claims 1-4]claim 1, characterized in that Z and Y are nitrogens, one of which binding to a hydrogen and the ligand structure being charged depending of pH.

Please amend claim 6 as follows:

6. (once amended) The method of [anyone of claims 1-5]claim 1, characterized in that said mixture derives from a host in which said serum albumin is human serum albumin.

Please amend claim 7 as follows:

7. (once amended) The method of [anyone of claims1-6]claim 1, characterized in that said ligand is attached covalently to said matrix.

Please amend claim 8 as follows:

8. (once amended) The method of [anyone of claims 1-7]<u>claim1</u>, **characterized** in that after the adsorption step said serum albumin is eluted from said affinity adsorbent and if necessary further processed.

#### Remarks

Claims 1-10 are pending in the instant application. Applicants have amended claims 1, 3, 4, 5, 6, 7, and 8 to more fully conform with U.S. practice and to delete multiple dependencies. A version of the claims marked up to show the amendments, as well as a clean version of the claims encompassing the amendments, is attached hereto.

Applicants respectfully assert that all amendments are fairly based on the specification, and respectfully request their entry.

Applicants believe that the claims, as amended, are in allowable form, and earnestly solicit the allowance of claims 1-10.

Respectfully submitted,

Royal N. Ronning, Jr. 32,529 Attorney for Applicants

Amersham Pharmacia Biotech, Inc. 800 Centennial Avenue P. O. Box 1327 Piscataway, New Jersey 08855-1327

Tel: (732) 457-8423 Fax: (732) 457-8463 Claims (marked-up version showing amendment(s))

## [CLAIMS]

## What is claimed is:

- 1. (once amended) [A]<u>In a method for selectively enriching/removing a serum</u> albumin from a mixture of other compounds by contacting said mixture with a ligand (= X), the improvement comprising said ligand
  - a) having affinity for and enabling binding of the serum albumin and
  - b) being attached via a spacer (= B) to a base matrix (= M') insoluble in the aqueous media used, the matrix with the attached ligand being represented by

M-B-X

where M is the matrix, B is the spacer and X the affinity ligand, with the provision that M may contain further groups X linked via a spacer, characterized in that said ligand X has been selected among serum albumin-binding structures complying with the formulae

 $R_2$   $R_3$   $R_4$ 

in which

- a) the free valence bind to the spacer B;
- b) R<sub>1-4</sub> are selected from hydrogen, electron-withdrawing groups, such as halogens and lower alkyl groups (C<sub>1-10</sub>) that possibly are substituted with electron withdrawing groups, such as halogens;
- c) Z and Y are selected among oxygen, sulphur or nitrogen, with the provision that the nitrogen may carry a positive charge.
- 3. (once amended) The method according to [anyone of claims 1-2]<u>claim 1</u>, characterized in that at least one of R1-4 exhibit an electron withdrawing group, preferably selected among halogens such as fluorine.

- 4. (once amended) The method according to [anyone of claims 1-3]claim 1, characterized in that the spacer [have]has a sulphur atom next to X.
- 5. (once amended) The method according to [any one of claims 1-4]claim 1, characterized in that Z and Y are nitrogens, one of which binding to a hydrogen and the ligand structure being charged depending of pH.
- 6. (once amended) The method of [anyone of claims 1-5]claim 1, **characterized** in that said mixture derives from a host in which said serum albumin is human serum albumin.
- 7. (once amended) The method of [anyone of claims1-6]<u>claim 1</u>, **characterized** in that said ligand is attached covalently to said matrix.
- 8. (once amended) The method of [anyone of claims 1-7]<u>claim1</u>, **characterized** in that after the adsorption step said serum albumin is eluted from said affinity adsorbent and if necessary further processed.

## Claims (clean version encompassing amendments)

#### What is claimed is:

- (once amended) In a method for selectively enriching/removing a serum albumin from a mixture of other compounds by contacting said mixture with a ligand (= X), the improvement comprising said ligand
  - a) having affinity for and enabling binding of the serum albumin and
  - b) being attached via a spacer (= B) to a base matrix (= M') insoluble in the aqueous media used, the matrix with the attached ligand being represented by

M-B-X

where M is the matrix, B is the spacer and X the affinity ligand, with the provision that M may contain further groups X linked via a spacer, characterized in that said ligand X has been selected among serum albumin-binding structures complying with the formulae

 $R_2$   $R_3$   $R_4$ 

in which

- a) the free valence bind to the spacer B;
- b) R<sub>1-4</sub> are selected from hydrogen, electron-withdrawing groups, such as halogens and lower alkyl groups (C<sub>1-10</sub>) that possibly are substituted with electron withdrawing groups, such as halogens;
- c) Z and Y are selected among oxygen, sulphur or nitrogen, with the provision that the nitrogen may carry a positive charge.
- 2. The method according to claim 1, **characterized** in that contact between the mixture and the media M-B-X is done in an aqueous media having a pH at which the -B-X carries a positive charge.

and the state of t

- 3. (once amended) The method according to claim 1, **characterized** in that at least one of R1-4 exhibit an electron withdrawing group, preferably selected among halogens such as fluorine.
- 4. (once amended) The method according to claim 1, **characterized** in that the spacer has a sulphur atom next to X.
- 5. (once amended) The method according to claim 1, **characterized** in that Z and Y are nitrogens, one of which binding to a hydrogen and the ligand structure being charged depending of pH.
- 6. (once amended) The method of claim 1, **characterized** in that said mixture derives from a host in which said serum albumin is human serum albumin.
- 7. (once amended) The method of claim 1, **characterized** in that said ligand is attached covalently to said matrix.
- 8. (once amended) The method of claim1, **characterized** in that after the adsorption step said serum albumin is eluted from said affinity adsorbent and if necessary further processed.
- 9. A method for screening ligands structures that, when attached to an affinity matrix, selectively bind albumin, characterized that water-soluble compounds that exhibit a benzene ring fused to a 5-membered heterocycle containing two or three heteroatoms, preferably two, selected from nitrogen, oxygen and sulphur after having been attached to a matrix, preferably in the 2-position, are screened for selective binding to albumin.

10. The method of claim 9, characterized in that screening is taking place in aqueous solutions at a pH at which the ligand structure including and spacer binding to the matrix is positively charged.

#### REMOVAL/PURIFICATION OF SERUM ALBUMINS

#### Technical field

The present invention concerns a method for the selective separation/removal of a mammalian serum albumin from a solution 5 containing a mixture of proteins in order to obtain a solution/preparation that is substantially devoid of one or more of the other proteins, for instance immunoglobulins and/or serum albumin of species origin other than the separated/removed serum albumin.

#### Technical background

For a long time there has been a large demand for purified mammalian serum albumins, for instance serum albumin of human or bovine origin (HSA and BSA, respectively). For HSA this has mainly depended on its therapeutic use as a plasma volume expander. Originally serum albumins were obtained from sera/plasma of the appropriate species origin. For some years the focus has been to produce serum albumins recombinantly, in particular HSA. For bacterially produced recombinant forms, it 20 has become urgent to remove host cell contaminants because they may be hazardous in vivo to mammals. It has become apparent that preparing HSA in transgeneic animals should be benificial, for instance in transgeneic cows. This latter alternative, however, has the drawback that HSA will be present in mixture with the HSA 25 analogue of the host animal (for instance with BSA if HSA is produced in cows). This has created novel purification problems, for instance the specific removal of BSA from HSA.

Various forms of affinity binding including ion exchange binding have earlier been applied to the purification of serum 30 albumins. For affinity binding the general goal has been to find chromatographic media (ligand attached to a chromatographic base matrix) that provide sufficient specificity in order to remove

either predetermined contaminants or the serum albumin desired as the end product from complex mixtures. The term "binding" includes chromatographic as well as batch-wise alternatives.

Illustrative examples of ligands previously used and having

5 selectivity for serum albumins are given by Theodore Peters in
All about Albumin - Biochemistry, Genetics and Medical
Applications, (Ed. Theodore Peters, Jr., Academic Press (1996)
pages 77-126. Among low molecular weight ligands there may be
mentioned certain dyes of rather complex structure, for instance

10 Cibacron Blue.

WO 9602573 discloses a method for selectively purifying human serum albumin from whole milk or whey by a process comprising an affinity chromatographic step utilizing triazine dye molecules as affinity ligands.

WO 9808603 discloses a number of aromatic compounds that can be used as general protein binders under the appropriate conditions. The compounds includes 2-mercapto-benzothiazoles among several others. Serum albumin is used as one of many model compounds.

The methods concerned in the present invention generally provide that a mixture of compounds, in particular proteins, containing a serum albumin is contacted with a ligand that has affinity for the serum albumin and that is attached to a base matrix. The conditions are adjusted such that the serum albumin becomes selectively bound (adsorbed) to the ligand. The matrix-25 bound affinity ligand may be represented by the formula I

M-B-X.

where M is the matrix, X the affinity ligand (ligand structure) and B a spacer group through which X is attached to the matrix. M may contain several groups X linked through spacers that may be 30 equal or unequal to B.

The expression "a ligand that is attached to a matrix" includes also ligands that are possible to attach to a matrix after having

SUBSTITUTE SHEET (RULE 26)

WO 00/37501

3

bound a serum albumin.

#### Objectives of the invention

The first objective of the invention is to provide novel 5 affinity methods for the selective removal of a serum albumin from a mixture of proteins in order to produce the serum albumin in substantially pure form or a preparation essentially free of the removed serum albumin.

A second objective is to provide an affinity method as defined 10 above which is selective for a serum albumin that exist in mixture with one or more other serum albumins.

#### The invention

n.

It has now been discovered that there are compounds that 15 selectively bind albumin to be found among bicyclic compounds in which a five-membered heterocycle is fused with a benzene ring. The heterocycles concerned contain two or three heteroatoms selected from oxygen, nitrogen and sulphur. It has also been found that this type of albumin-binding compounds can be used as 20 affinity ligands attached to matrices for the purification/removal of serum albumins from liquids. It has also been found that this ability to bind albumin may differ depending on the species origin of the serum albumin.

The inventive method thus has the characterizing feature that 25 the ligand X defined above has been selected from the group of compounds defined in the preceding paragraph and linked to an affinity matrix M through a spacer B. In particular X complies with the structure according to formula II:

WO 00/37501 PCT/EP99/10123

$$R_2$$
 $R_3$ 
 $R_4$ 

The free valence binds to the spacer B.

 $R_1$ ,  $R_2$   $R_3$  and  $R_4$  are selected from hydrogen, electronwithdrawing groups and lower alkyl groups  $(C_{1-10})$  that possibly 5 are substituted with electron withdrawing groups and/or hydrophilic groups. Particular important alkyl groups  $(R_{1-4})$ contain 1-3, preferably one, carbon atom. Particular important electron withdrawing groups are halogens, such as F, Cl and Br, which also may enhance a hydrophilic character of the liqand. A well known hydrophilic group is hydroxy (HO-) that, like the halogens, when present on an alkyl group will enhance the hydrophilic character of the latter. Particular interesting groups  $R_{1-4}$  comprise  $C_{1-10}$ , such as  $C_{1-4}$ , alkyl groups substituted with 1-3 halogen atoms, preferably fluorine, on carbons at none, 15 one or two atoms distance from the ring structure. One, two or three of  $R_{1-4}$  may be different from hydrogen, although it is believed that in the preferred ligands X one or two of R1-4 should not be hydrogen. Non-hydrogen groups  $R_{1-4}$  may be located in the 4-, 5-, 6- and/or 7-position with preference for positions 4 and/or 20 6.

Z and Y are heteroatoms selected from nitrogen, oxygen and sulphur, possibly carrying one or two organic groups or hydrogens in addition to the heterocyclic ring they are part of. Normal valence rules for stable compounds apply, i.e. the nitrogen may 25 carry one or two, the sulphur one and the oxygen none additional group(s). The organic groups may be selected according to the same principles as  $R_{1-4}$ , with preference for smaller alkyl groups and hydrogen. In the heterocyclic ring a nitrogen atom and a

=20

5

sulphur atom can be positively charged if they bind to other atoms or groups via four and three valencies, respectively.

In the preferred ligand structures X, Z and Y are NR'R' and NR'', respectively. R', R' and R'' are selected according to the same principle as  $R_{1-4}$  or is a free electron pair, with the proviso that a selected  $R_{1-4}$  group should provide a saturated  $sp^3$  hybridised carbon atom binding directly to the heterocyclic ring. The preferred ligand structures of this embodiment comprise that at most one of R' and R'' is a free electron pair or a hydrogen.

In this latter embodiment R''' is typically a free electron pair.

The general idea is that the useful types of ligands shall have a pronounced hydrophilicity in order to increase the desired selectivity for serum albumins and to minimize binding of other kinds of proteins via hydrophobic interactions. It is therefore believed that ligand structures that selectively bind albumin will be found by selecting or screening among water-soluble organic compounds that

- a) comprise a benzene ring fused to a five-membered heterocycle containing two or three, preferably two, heteroatoms selected from nitrogen, oxygen and sulphur and
- b) have been attached to a matrix M via a spacer B replacing a group or atom at any of the positions 1, 2, 3, 4, 5, 6 and 7

for selective binding to serum albumin. Once a compound according to formula II has been pretested or prescreened and found capable of binding selectively a serum albumin, this finding may be used by anyone to selectively remove the serum albumin as discussed above.

Particularly interesting compounds have two ring heteroatoms 30 which are present in position 1 and 3, respectively, such as those compounds complying with the general structure given in formula III. Attachment to a matrix is preferably at the 2-

position of the ring system. The screening methodology may be of the same kind as given in the Experimental Part.

$$R_2^s$$
 $R_3^s$ 
 $R_4^s$ 

ISSSILE ISS

Z' and Y' are heteroatoms selected according to the same rules as for Z and Y. In case they comprise nitrogen as the heteroatom they may be  $\text{NR}_\text{s}\text{'}\text{R}_\text{s}\text{''}$  and  $\text{NR}_\text{s}\text{'''},$  respectively. The substituents  $R^{s}_{1-4}$  and  $R_{s}$ ',  $R_{s}$ '' and  $R_{s}$ ''' and the groups/atoms Y' and Z' are selected such that the compound III is soluble in water at a pHvalue in the interval 1-11, preferably 1-7 (25°C). By solubility in water is meant at least 0.01 mg/ml, with preference for at 15 least 0.1 mg/ml. Typically this means that, when one or more of  $R^{s}_{1\text{--}4}$  (for instance as defined for  $R_{1\text{--}4}$  above) are alkyl groups with a relatively long carbon chain, there should also be present one or more hydrophilic substituents, for instance hydroxy, amino, carboxy and other related substituents (ether, thioether, amido, 20 ester etc), on the chain. The chain may also be broken by one or more heteroatoms, such as sulphur (thioether), oxygen (ether) or nitrogen atoms (secondary, tertiary or quaternary amino). Preferably the compound (and the ligand structure) should exhibit a charge (positive or negative) in a part of this pH interval 25 (positive in the lower part and/or negative in the upper part or positive all throughout the pH-interval 1-10. It is believed that screening for binding preferentially should take place at a pH

where the ligand structure have a charge ( $\geq 0$ , preferably > 0. This includes that the charge may be located at a nitrogen in any of the groups  $R^s_{\ 1\text{--}4}$  and  $R_s^{\ \prime}$  ,  $R_s^{\ \prime}{\ \prime}$  and  $R_s^{\ \prime}{\ \prime}{\ \prime}$  or even in the spacer В.

At the priority the preferences with respect to  $R_{1-4}^{s}$  and  $R_{s}'$ ,  $R_{\text{s}}{}^{,\,\,\prime}$  and  $R_{\text{s}}{}^{,\,\,\prime}{}^{,\,\,\prime}$  were the same as for  $R^{\text{s}}{}_{1\text{-4}},\ R^{\,\prime},\ R^{\,\prime}{}^{,\,\,\prime}$  and  $R^{\,\prime}{}^{\,\,\prime}{}^{\,\,\prime}$  and Yand Z.

The hydrogen (H) in position 2 may be replaced by the part of the spacer B that is next to X in formula I, for instance a part 10 containing a spacer chain of at most 10 atoms in length.

# The matrix and the attachment of the ligand to the matrix.

The matrix and the attachment of the ligand to the matrix.

In the preferred modes of the invention the ligand is to a base matrix that is insoluble in the aqueous media.

Such matrices often are based on polymers that expose a In the preferred modes of the invention the ligand is attached to a base matrix that is insoluble in the aqueous media used. hydrophilic surface to the aqueous media used, i.e. expose hydroxy (-OH), carboxy (-COOH), carboxamido (-CONH $_2$ , possibly in N- substituted forms), amino (-NH $_{2}$ ), oligo- or polyethylenoxy groups on their external and, if present, also on internal surfaces. Typically the matrices are of the same kind as those normally used as chromatographic matrices. The polymers may, for instance, be based on polysaccharides, such as dextran, starch, cellulose, pullulan, agarose etc, which if necessary have been crosslinked, for instance with bisepoxides, epihalohydrins,

- 25 1,2,3-trihalo substituted lower hydrocarbons, to provide a suitable porosity and rigidity. The matrices may also be based on synthetic polymers, such as polyvinyl alcohol, poly hydroxyalkyl acrylates, poly hydroxyalkyl methacrylates, poly acrylamides, polymethacrylamides etc. In case of hydrophobic polymers, such as
- 30 those based on divinyl and monovinyl substituted benzenes, the surfaces of the matrices are often hydrophilized to expose hydrophilic groups as defined above.

#### SUBSTITUTE SHEET (RULE 26)

WO 00/37501 PCT/EP99/10123

The matrices may also be of inorganic nature, e.g. silica, zirkonium oxide etc.

Physically the insoluble matrices may be in the form of porous monoliths or in beaded/particle form that can be either porous or 5 non-porous. Matrices in beaded/particle form can be used either as a packed bed or in suspended form. Suspended forms include so called classified expanded beds and pure suspensions in which the particles/beads are moving round completely. In case of monoliths, packed bed and classified expanded beds, the 10 separation procedure may be classified as a normal chromatography with a concentration gradient of adsorbed molecules being established along the flow direction. In case of pure suspension the separation procedure will be in the batch wise mode.

JHH H

For suspensions, the beads/particles may contain a densifying 15 filler material that will permit higher flow rates in case of classified expanded beds and facilitate sedimentation of the beads/particles after adsorption. See for instance WO-A-9717132 (Amersham Pharmacia Biotech AB) and WO-A-9200799 (Upfront Chromatography).

The matrices may also comprise so called extenders carrying several groups -B-X. Extenders are often polymeric providing attachments of several ligands per spacer. Extenders are often hydrophilic and called tentacles etc. See for instance International Patent Application PCT/SE98/00189 (Amersham 25 Pharmacia Biotech AB).

A spacer is typically introduced to improve the availability of the ligand and/or facilitate the chemical coupling of the ligand to the matrix. Spacers often comprise a hydrocarbon chain that has a length between 1-50 atoms. The hydrocarbon chain may be 30 straight, branched or cyclic and optionally broken with one or more ether oxygen or amino nitrogen atoms and/or optionally substituted with one or more hydroxy, lower alkoxy, or amino

group (-NH2/NH3+, where each hydrogen may be replaced with a lower alkyl or a lower acyl group). By lower alkyl or lower acyl group is primarily intended  $C_{1-10}$  alkyls/acyls. The spacer group may also, depending to coupling methodology, comprise ester, amido, 5 thioether, etc groups that have the sufficient hydrolytic stability. This latter groups may be present in the spacer either alone or combined with each other and/or with the appropriate hydrocarbon chain(s).

In the spacer the atom binding directly to the ligand structure 10 X should preferably be a sulphur atom, preferably bound to a saturated carbon atom in the spacer. In other alternatives of the spacer, the atom next to the ligand structure X may be an oxygen, a nitrogen (amino or amido nitrogen), a carbon (for instance a saturated carbon, carbonyl carbon etc). Typical saturated carbon 115 atoms are only binding carbons and/or hydrogen.

The spacer, in particular the part closest to ligand structure X, may influence the ability to bind to serum albumin. The discussion above therefore primarily indicates the group of spacers that is to be screened for finding the optimal spacer for 20 various ligand structures.

It can be envisaged that the ligand potentially also will be attached to the matrix by methods involving non-covalent bonding, such as physical adsorption or biospecific adsorption. In these cases the ligand may be covalently attached, via a spacer 25 structure, to some type of carrier molecule that provides the

ligand with sufficient adsorption ability relative adsorbing structures in the matrix. The carrier molecule and the adsorbing structures are in these cases regarded as being part of the matrix (M'). Pairs of carrier molecules and adsorbing structures 30 may be represented by the biotin-strepavidin system.

As a potential alternative, the ligand may be in soluble form that subsequent to binding to a serum albumin is insolubilized.

#### SUBSTITUTE SHEET (RULE 26)

20

WO 00/37501

10

This may be accomplished, for instance, by having the ligand conjugated to biotin and insolubilizing by contacting the formed complex between the serum albumin and the soluble ligand-biotin conjugate with a strepavidin-matrix. The spacer in this mode will be the grouping linking the ligand to biotin.

#### The sample containing the serum albumin to be removed/purified

The serum albumin to be removed and/or purified typically exists in mixture with other proteins and/or biomolecules. Illustrative examples are blood preparations (such as plasma and serum), fermentation liquids obtained from cultured host cells that have been transformed to express a serum albumin, biological fluids obtained from transgeneic mammals transformed to produce a serum albumin of another species, and also various working up preparations derived from any one of these types of liquids. Important biological fluids from transgeneic mammals are milk and milk fractions such as whey. In case of liquids derived from transgeneic animals the liquids will often contain also the normal serum albumin of the species concerned.

#### Procedural steps for binding

During the adsorption step the conditions are selected so as to promote binding between the ligand and the serum albumin intended. At the same time the conditions are selected such that 25 binding between the ligand and other proteins present is surpressed, for instance hydrophobic interactions.

For pH this means that the pH-value shall be selected above the value at which serum albumin unfold. This value in turn may depend on ionic strength and temperature. The uppermost end of the pH is limited at the pH value at which hydrolytic degradation becomes significant. As a general rule of thumb, the appropriate pH values will therefore be found in the range 4-10. However, our

WO 00/37501

Œ.

T) J

11

 $i=i-1,\dots, t$ 

present findings suggest that the binding may require a positive charge on the ligand structure. The very broad range 4-10 may therefore only be applicable to ligand structures, including the spacer B, carrying a pH-independent charge, for instance Z being 5 a quaternary ammonium group. In case one or more of Z, Y,  $R_{1-4}^{\rm s}$ and  $R_{s}'$ ,  $R_{s}''$  and  $R_{s}'''$  or B comprise a nitrogen that can be protonated and deprotonated in water, the ligand structure X plus the spacer B may exhibit a positive charge which is pH-dependent. The lower part of the pH interval 4-10 will then be applicable, no for instance pH 4-7 or even lower such as 4-6.

The ionic strength should be selected in the interval correponding to 0-3 M NaCl. Ionic strengths at the upper part of this interval are likely to promote binding via hydrophobic interactions. This means that albumin binding will be promoted at higher ionic strengths, but simultaneously also proteins with pronounced hydrophobic regions will bind more efficiently thereby decreasing the selectivity for serum albumins. The optimal ionic strength will therefore, among others, depend on what is to removed from what. The temperature is typically selected in the 20 interval 0-40°C with preference for 4-37°C.

The optimal values of pH, temperature and ionic strength will depend on the species origin of the serum albumin to be removed/purified, contaminants, the ligand structure attached to the matrix etc.

- After adsorption, the serum albumin may be further worked up, for instance by first desorbing the serum albumin and subsequently subjecting it to further adsorption steps, for instance on a cation or anion exchanger, an hydrophilic matrix exhibiting hydrophobic groups (HIC-media) etc. Suitably
- 30 desorption conditions may include change of pH, of ionic strength, of temperature and/or addition of compounds interfering with binding. Compounds that interfere with the binding may

WO 00/37501

12

. . . .

mimick the ligand structure X present on the matrix. It may, for instance, be a compound according to formula III possibly also exibiting a relevant the part of the spacer B. The main rules should then of course be not to change the conditions so that the 5 serum albumin becomes irreversibly denatured. The adsorption step may be preceded by other steps, which for instance may be based on ion exchange or immune ligands. Illustrative examples of steps that can be combined with the present inventive adsorption step are given in US 5440018; US 5521287 and EP 699687 (all in 10 the name of Green Cross Corp).

The goal of the full separation processes is to obtain serum albumin preparations intended for use in vivo. This means that the preparation should contain < 0,01 %, such as < 0,001 % 15 proteins that are heterologous to the species to which the preparation is to be administered. HSA preparations, for instance, that are to be used in humans shall contain < 0,01 %, such as < 0,001 % BSA. All percentages are w/w. This means that in order to reach a therapeutically acceptable purity the serum 20 albumin preparations obtained directly from the adsorption step of the present invention often will need to be combined with further working up steps, either prior or subsequent to the inventive adsorption step.

The invention is further defined in the appended claims and will now be further described by experimental support regarding the most preferred fragment.

#### EXPERIMENTAL PART

The purpose of the study was to immobilize a number of selected 30 heterocycles condensed to a benzene ring (benzo compounds) to an epoxy activated matrix (Sepharose 4FF, Amersham Pharmacia Biotech WO 00/37501 PCT/EP99/10123

13

AB, Uppsala, Sweden) and test them for binding to human serum albumins and IgG in PBS buffer at pH 7. In order to facilitate attachment to the matrix the compounds were selected to carry a thiol group (at the 2-position). The ligand structures were:

		<del>,</del>	γ	· ,
No	Ligand structure X	Manufactu	Subst.	Vt
		rer of	(mole/	ml
		coupled	ml gel	
		compound		
1	Benzimidazol-2-yl	Aldrich	15.1	1.2
2	5-methyl-	Aldrich	14.4	1.2
	benzimidazol-2-yl			
3	Benzothiazol-2-yl	Aldrich	8.4	
4	Benzoxazol-2-yl	Aldrich	12.2	1.2
5	4-bromo-6-	Maybridge	15.1	1.2
	(trifluoromethyl) -			·
	benzimidazol-2-yl		<b>\</b>	
6	6-ethoxy-	Aldrich	9.6	1.1
	benzothiazol-2-yl			
7	5-nitro-	Aldrich	15.1	1.2
	benzimidazol-2-yl			
8	6-nitro-	TCI-GB	6.8	1.2
	benzothiazol-2-yl			
9	5-chloro-	Aldrich	9.6	1.2
	benzothiazol-2-yl			
10	5-methoxy-	Aldrich	14.7	1.1
	benzimidazol-2-yl			
11	4-chloro-6-	Maybridge	14.3	1.2
	(trifluoromethyl) -			
	benzimidazol-2-yl			
12	5-chloro-1-	Maybridge	18.2	1.2

	1
ű,	1
T	
ij.	1
1,2	
(PIE	1
L	ļ
Æ	
	1(
	i
-	
ø	
Ī.	ļ

		14		
	isopropyl-			
	benzimidazol-2-yl			
13	5,6-dichloro-	Maybridge	15.1	1.2
	benzimidazol-2-yl			
14	5-chloro-6-fluoro-	Maybridge	4.9	1.1
	benzimidazol-2-yl			

Test proteins: Human Serum Albumin (HSA) (Sigma), Bovine Serum Albumin (BSA) (Sigma) and IgG human normal (Pharmacia AB = Pharmacia & Upjohn, Stockholm, Sweden).

#### Buffers used in binding experiments:

- 1. PBS pH 7
- 2.20 mM citrate buffer. Dissolve 2.52 g citric acid monohydrate and 1.90 g citric acid monosodium salt in 1000 ml MilliQ water.
- 3.2 M NaCl. Dissolve 116.88 g in 1000 ml MilliQ.
- 4. West. Add 6.8 g sodium acetate to 840 ml MilliQ water. Adjust pH with hydrochloric acid. Add 47.9 lactose, 0.44 g calcium chloride and 20 ml 2M NaCl. Add MilliQ water to 1000 ml.

## Test solutions:

HSA (2 mg/ml in PBS)

HSA (2 mg/ml in West)

BSA (2 mg/ml in West)

IgG (1.5 mg/ml in PBS; dilute 1 ampoule (165 mg/ml) to 100 ml)

Synthesis of affinity media: 100 ml of drained gel (Sepharose FF (Amersham Pharmacia Biotech AB, Uppsala) were washed on a glass filter with 400 ml of distilled water and transferred to a round 25 bottomed glass flask together with 5.5 g of sodium hydroxide dissolved in 30 ml of distilled water. The mixture was kept at

35°C. 80 ml of 1,4-bis(epoxypropoxy)-butan were added under vigourous stirring. After modest stirring for two hours the gel was washed with 1.5 l of distilled water.

In each synthesis 1 mmole of the compound to be coupled 5 (compounds 1-15) was dissolved in 5 ml DMSO. The epoxy gel was washed with DMSO followed by addition of the ligand solution to 5.0 g of gel. 2 drops of 45% sodium hydroxide solution were added to each reaction flask (pH about 11). The reaction vessels were incubated at 40°C for 60 hours. The gels were filtered on glass 10 funnels and were washed with the following solvents: 1. DMSO; 2. DMSO/water (1:1); 3. water; 4. THF; 5. water; 6. ethanol; and 7. water. The substitution degree was determined by elemental analysis.

Packing of columns: The gel slurry was poured into the column and packed by sucking the solution out with a syringe attached to the column outlet. The adapter was mounted on the column and the gel was equlibrated with about 10 columns of PBS buffer.

 $\frac{1}{2}$ 0 Binding of HSA or human IgG in PBS pH 7 - elution with citrate pH 3: The column was equilibrated with PBS pH 7 after which 2.000 ml  ${
m HSA}$  (2 mg/ml) or IgG (16.5 mg/ml) was applied. The column was eluted first with buffer of pH 7 and then with buffer of pH 3 (citrate; wash buffer).

Binding of HSA and BSA in West pH 4.6 - step wise elution with PBS pH 7 and citrate pH 3 : The column was equilibrated in West buffer pH 4.6 and 2.000 ml HSA (2 mg/ml) or BSA (2 mg/ml) was applied. Elution was made West pH 4.6 then with PBS pH 7 and 30 finally with citrate pH 3.0 (wash).

Results:

Œ

25

15

16

Binding of HSA or human IgG in PBS pH 7 - elution with citrate pH 3: Based on conventional ways of interpreting the chromatogram recorded, none of the ligand structures showed binding to IgG or HSA. The buffer was the standard for this type of experiments 5 with serum albumin (PBS pH 7). In spite of these negative results the present inventors went further on and analysed in more detail the shape and position of the peaks of the chromatograms. It was found that for HSA the chromatograms sometimes looked somewhat different for different ligand structures. All chromatograms for 10 IgG looked the same and the position of the eluted IgG suggested no interaction/binding. For seven (3, 4, 6, 8, 9, 12 and 13) out of the 14 tested ligand structures the chromatograms looked the same with the HSA peak located at the same elution volume and having the same shape.

The HSA chromatograms from the other seven columns (1, 2, 5, 7, 10, 11 and 14) could be paired, two by two, due to a similarity and/or retardation of the peaks compared to the peaks for the previously discussed ligand structures. The ligand structures 1 and 2 showed two peaks in the flow through and ligand structures 20 7 and 14 showed peaks with a shoulder. At least the latter result together with the retardation suggest an interaction with the media. Ligand structures 5 and 11 gave retarded peaks that were tailed. A very small elution peak and a small peak when reequilibrating the column could also be seen. The tailing and 25 retardation suggested some type of weak interaction with the ligand structure on the media. Ligand structure 10 gave a small peak when reequilibrating the column.

Binding of HSA or BSA in West pH 4.6 - step wise elution with PBS pH 7 and citrate pH 3: The column with ligand structure 11 30 was studied with HSA and with BSA. The chromatograms indicated that all HSA applied and a part of the BSA applied were bound in West pH 4.6 (no HSA was eluted until PBS pH 7 was applied, one

portion/peak of BSA eluted with West 4.6 and another with PBS pH 7).

SUBSTITUTE SHEET (RULE 26)

interpretation of a lattice of the conference control (1885) to 1881 at 1885 a

#### 18 CLAIMS

- 1 A method for selectively enriching/removing a serum albumin from a mixture of other compounds by contacting said mixture with a ligand (= X), said ligand
  - a) having affinity for and enabling binding of the serum albumin and
  - b) being attached via a spacer (= B) to a base matrix (= M') insoluble in the aqueous media used, the matrix with the attached ligand being represented by

where M is the matrix, B the spacer and X the affinity ligand, with the provision that M may contain further groups X linked via a spacer,

characterized in that said ligand X has been selected among
serum albumin-binding structures complying with the formulae

$$R_1$$
 $R_2$ 
 $R_3$ 
 $R_4$ 

20 in which

25

- a) the free valence bind to the spacer B;
- b)  $R_{1-4}$  are selected from hydrogen, electron-withdrawing groups, such as halogens and lower alkyl groups  $(C_{1-10})$  that possibly are substituted with electron withdrawing groups, such as halogens;
- c) Z and Y are selected among oxygen, sulphur or nitrogen, with the provision that the nitrogen may carry a positive charge.

WO 00/37501 PCT/EP99/10123

19

2. The method according to claim 1, characterized in that contact between the mixture and the media M-B-X is done in an aqueous media having a pH at which the -B-X carries a positive charge.

415

- 3. The method according to anyone of claims 1-2, characterized in that at least one of R1-4 exhibit an electron withdrawing group, preferably selected among halogens such as fluorine.
- 4. The method according to anyone of claims 1-3, characterized in that the spacer have a sulphur atom next to X.
  - 5. The method according to any one of claims 1-4, characterized in that Z and Y are nitrogens, one of which binding to a hydrogen and the ligand structure being charged depending of pH.
  - 6. The method of anyone of claims 1-5, characterized in that said mixture derives from a host in which said serum albumin is human serum albumin.
  - 7. The method of anyone of claims 1-6, characterized in that said ligand is attached covalently to said matrix.
  - 25 8. The method of anyone of claims 1-7, characterized in that after the adsorption step said serum albumin is eluted from said affinity adsorbent and if necessary further processed.
  - 9. A method for screening for ligands structures that, when attached to an affinity matrix, selectively bind albumin, characterized that water-soluble compounds that exhibit a benzene ring fused to a 5-membered heterocycle containing two

or three heteroatoms, preferably two, selected from nitrogen, oxygen and sulphur after having been attached to a matrix, preferably in the 2-position, are screened for selective binding to albumin.

5

10. The method of claim 9, characterized in that screening is taking place in aqueous solutions at a pH at which the ligand stucture including and spacer binding to the matrix is positively charged.

ĨĮ,
T:
L.
<u>L</u>
F
T.

Please type a plus sign (+) inside this box	$\rightarrow \Box$

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. a valid OMB control number

DECLARATION FOR UTILITY OR			Attorney Docket Nu	PU-9843			
DECLARA		SIGN	First Named Invento	Tor Regberg			
PATE	NT A	PPLICATION	COMPLETE IF KNOWN				
(37 CFR 1.63)			Application Number		09 /869,023		
Declaration		[V] Danlaustina	Filing Date	20-	Jun-2001		
Submitted with Initial Filing	OR	Declaration Submitted after Initial	Group Art Unit	То	be assigned		
		Filing (surcharge (37 CFR 1.16 (e)) required)	Examiner Name	То І	o be assigned		

1	ntor, I hereby declare that:	As a below named inventor, I hereby declare that:								
My residence, post office	address, and citizenship are	as stated below next to my r	name.							
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint invento r (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:										
Removal/Purification of Serum Albumins										
the specification of which (Title of the Invention)  Is attached hereto										
OR  was filed on (MM/I	DD/YYY) 06/20/200	as Unite	d States Applica	tion Number or F	CT International					
Application Number 05	9/869,023 and w	vas amended on (MM/DD/Y	YYY)		(if applicable)					
I hereby state that I have r amended by any amendm	eviewed and understand the cent specifically referred to abo	contents of the above identificate.	ied specification,	including the da	ums, as					
	disclose information which is i		efined in 37 CFR	1 1 56.						
I hereby claim foreign priority benefits under 35 U.S.C 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.										
America, listed below and hi or of any PCT international a	ave also identified below by	n which designated at leasi	t one country of	her than the Un						
America, listed below and h	ave also identified below by	n which designated at leasi	t one country of	her than the Un patent or invento ity is claimed.  Certified Co	ited States of or's cer tificate,					
America, listed below and his or of any PCT international a	ave also identified below, by capplication having a filing date	n which designated at least checking the box, any foreign a before that of the application Foreign Filling Date	t one country of n application for on which prior	her than the Un patent or invento ity is claimed.	ited States of or's cer tificate,					
America, listed below and hor of any PCT international a Prior Foreign Application Number(s)  9804465-4	Country  Sweden  Sweden  Sweden listed below by application having a filing date	supplemental pnority data s	Priority Not Claimed	her than the Un patent or invento ity is claimed.  Certiffed Co YES	py Attached?  NO					
America, listed below and hor of any PCT international a  Prior Foreign Application Number(s)  9804465-4	Country  Sweden  Sweden	a which designated at least hocking the box, any foreign before that of the application o	Priority Not Claimed	her than the Un patent or invento ity is claimed.  Certiffed Co YES	ited States of or's cer tificate,					
America, listed below and hor of any PCT international a Prior Foreign Application Number(s)  9804465-4	Country  Sweden  Sweden	supplemental pnority data s	Priority Not Claimed  heet PTO/SB/02  pplication(s) liste	her than the Un patent or invento ity is claimed.  Certiffed Co YES	py Attached? NO					

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time, you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

Please type a plus sign (+) inside this box , -> +	PTO/SB/01 (12-97) Approved for use through 9/30/00. OMB 0651-0032 Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons a a valid OMB control number	Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE re required to respond to a collection of information unless it contains

# **DECLARATION** — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not discolosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1 56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

information which and the national	ch is ma al or PCT	aterial to patentabili Finternational filing	ity as de date of	afined in 37 CF this application	R 1 56 wh	uch be	came av	/ailable betw	een the f	iling date	of the pro	or application
U.S	S. Par	ent Application		PCT Parent				iling Date D/YYYY)	,		nt Patent (if applica	
PCT/EP	99/1	0123				12	2/20/19	999				
Additional U.S. or PCT international application numbers are					listed on	a supp	emental	I pnonty data	sheet PT	FO/SB/02		
As a named inve	As a named inventor, I hereby appoint the following registered practitione and Trademark Office connected therewith.    X   Customer Number   22							his application	n and to t	transact a	Plan Gus Number 2	840
	Nan			Registr	ration	name.	egisuau	ion number lis Nar		<u> </u>	PATENT TRANS	istration
Name				Numl								
1		d practitioner(s) nan		Г	egistered	Practit	oner Info	ormation she	et PTO/S	B/02C at	tached heret	.о.
Direct all corre	sponde			er Number Code Label	2284	<u>40</u>		OR	c	orrespor	ndence add	iress below
Name	<del></del>			·								
Address												
Address						<del></del>	<del></del>		<del>-,</del>			
City				<del>-  </del>		s	tate		ZIP			
Country				Telephone					Fax			
punishable by fir	true; and fine or im	I statements made d further that these apprisonment, or bo t issued thereon.	e statemi	nemis were man	do with the	O KNOW	Morros th	hat unliful falo	oo ototom	nonto and	d the lites -	
Name of So	le or F	First Inventor:		·····			A petition	n has been	filed for	this uns	signed inver	ntor
	∕en Nan	me (first and midd	dle [if ar	nvl)		<u> </u>	<del></del>		iy Name	or Surna	ame	
Tor	<u>-</u>	<del>,</del>	<del></del>			B	legbe	∍rg				
Inventor's Signature		Tom	64	8/							Date	07/16/
Residence: Ci	ity	ļ		State		C	Country	SE	=		Citizenship	ŚE ′
Post Office Add	dress	Valhalla	ινας	jen 10∠	<u> </u>					-		
Post Office Ad	idress	S-114	41	Stock	cholr	n !	<u>Sw∈</u>	den	SE,	<u>Z</u>		
City		<u>.                                    </u>	State		ZIP				Cour	intry		
Additional in	nventor	rs are being name	ed on t	he 1_supp	lemental	Addit	ional Inv	ventor(s) sh	eet(s) P	TO/SB/	02A attache	ed hereto.

100

Please type	a pius	sıgn (+)	ınsıde	this box	<b>→</b>	+	
i icase type	a pias	Sign (+)	1113106	3113 DOX		+	

PTO/SB/02A (3-97)
Approved for use through 9/30/98. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

# **DECLARATION**

# ADDITIONAL INVENTOR(S) Supplemental Sheet Page 1 of 1

Name of Additional Joint Inventor, if any:  A petition has been filed for this unsigned inventor										ventor	
Given Name (first and middle [if any])					Family Name or Surname						
Christel					Ellstrom						
Inventor's Signature	Christel Ellsman								Date		07/11/01
Residence: City			State			Country	SE		Citizens	- 1	ŚÉ
Post Office Address	Johannesbacksgatan 36A										
Post Office Address	S-754 33 Uppsala Sweden SEX										
City			State			ZIP		Countr	у		
Name of Additional Joint Inventor, if any:  A petition has been filed for this unsigned inventor										ventor	
Given Name (first and middle [if any])					Family Name or Surname						
Inventor's Signature									Da	ite	
Residence: City			State		١	Country			Citize	nship	
Post Office Address											
Post Office Address											
City			State			ZIP		Cour	ntry		
Name of Additional Joint Inventor, if any:  A petition has been filed for this unsigned inventor											
Given Name (first and middle [if any])					Family Name or Surname						
Inventor's Signature							,		Da	ite	
Residence: City			State			Country			Citize	nship	
Post Office Address											
Post Office Address											
City		Si	tate			ZIP		c	Country		

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231